



InduceAcid Plus (IAP)

To Limit pathogens (*Salmonella*)
In poultry

The mortality of chickens due to intestinal pathogens continues to cause problems and can enteric infections in humans via meats and egg.

InduceAcid Plus (IAP) - A specialty Acidifier feed additive with synergistic blend of organic and inorganic acids, is effective against a variety of pathogens (*E. coli*, *S. aureus*, *Salmonella*, ...) in poultry.


IAP: Functions

- 1 • Control pathogens 2 • Regulate intestinal flora
- 3 • Reduce diarrhea 4 • Increase feed intake

IAP: Trial Data


Experimental design	Result
AA broilers, 60,000 birds 1-42 days-old IAP (2kg/ton of feed)	ADG + 4.8 g/d Survival rate + 1 % FCR - 0.09 Fecal score + 1
817 broiler, 40,000 birds 1-56 days-old IAP (2kg/ton of feed)	ADG + 5.3 g/d FCR - 0.05 Survival rate + 2 %
Ross 308 broiler, 72,000 birds 1-42 days-old IAP (2kg/ton of feed)	FCR - 0.04 Survival rate + 1.7 % EPI + 31

Scientific Formula



IAP : MIC against pathogenic bacteria

Minimum Inhibitory Content (MIC), %



Direction for use

Poultry: 1-3 kg/ton of feed